



Certificate of Analysis for

Kraoma LLC
 8565 S Eastern Ave Ste 150
 Las Vegas, NV 89074
 Phone: (702) 983-9664

Received: 4/1/2024 @ 18.4 °C
 Report ID: 2404024

Sample ID	Analyzed	Sample Description	Analysis	Result	Units	Method Code
2404024-001	4/4/2024	Red Bali	Arsenic (As)	0.052	mg/kg (ppm)	ICPMS.1
	4/4/2024		Cadmium (Cd)	0.028	mg/kg (ppm)	ICPMS.1
	4/4/2024		Lead (Pb)	0.115	mg/kg (ppm)	ICPMS.1
	4/4/2024		Mercury (Hg)	0.018	mg/kg (ppm)	ICPMS.1
	4/3/2024		7-Hydroxymitragynine	< 0.010	%	MIT.2
	4/3/2024		Isorhynchophylline	< 0.100	%	MIT.2
	4/3/2024		Mitragynine	1.78	%	MIT.2
	4/3/2024		Mitraphylline	< 0.100	%	MIT.2
	4/3/2024		Paynantheine	0.436	%	MIT.2
	4/3/2024		Speciociliatine	0.362	%	MIT.2
	4/3/2024		Speciogynine	0.255	%	MIT.2
	4/3/2024		Total Alkaloids	2.84	%	MIT.2
	4/3/2024		Salmonella spp.	Negative	/25 g	Salm.1
	4/3/2024		Shiga toxin-producing E. coli	Negative	/25 g	STEC.1
	4/3/2024		Aerobic Plate Count	400	CFU/g	ACR.1a
	4/3/2024		Total Coliform Bacteria	< 100	CFU/g	CCR.1a
	4/3/2024		Escherichia coli	< 100	CFU/g	ECR.1a
	4/3/2024	Staphylococcus aureus	< 100	CFU/g	STA.1a	
	4/3/2024	Yeast and Mold	100	CFU/g	YM.1a	



Certificate of Analysis for

Kraoma LLC
 8565 S Eastern Ave Ste 150
 Las Vegas, NV 89074
 Phone: (702) 983-9664

Received: 4/1/2024 @ 18.4 °C
 Report ID: 2404024

Sample ID	Analyzed	Sample Description	Analysis	Result	Units	Method Code
2404024-002	4/4/2024	White Maeng Da	Arsenic (As)	0.038	mg/kg (ppm)	ICPMS.1
	4/4/2024		Cadmium (Cd)	0.014	mg/kg (ppm)	ICPMS.1
	4/4/2024		Lead (Pb)	0.486	mg/kg (ppm)	ICPMS.1
	4/4/2024		Mercury (Hg)	0.012	mg/kg (ppm)	ICPMS.1
	4/3/2024		7-Hydroxymitragynine	< 0.010	%	MIT.2
	4/3/2024		Isorhynchophylline	< 0.100	%	MIT.2
	4/3/2024		Mitragynine	1.84	%	MIT.2
	4/3/2024		Mitraphylline	< 0.100	%	MIT.2
	4/3/2024		Paynantheine	0.447	%	MIT.2
	4/3/2024		Speciociliatine	0.364	%	MIT.2
	4/3/2024		Speciogynine	0.281	%	MIT.2
	4/3/2024		Total Alkaloids	2.94	%	MIT.2
	4/3/2024		Salmonella spp.	Negative	/25 g	Salm.1
	4/3/2024		Shiga toxin-producing E. coli	Negative	/25 g	STEC.1
	4/3/2024		Aerobic Plate Count	6,700	CFU/g	ACR.1a
	4/3/2024		Total Coliform Bacteria	< 100	CFU/g	CCR.1a
	4/3/2024		Escherichia coli	< 100	CFU/g	ECR.1a
	4/3/2024	Staphylococcus aureus	< 100	CFU/g	STA.1a	
	4/3/2024	Yeast and Mold	< 100	CFU/g	YM.1a	



Certificate of Analysis for

Kraoma LLC
 8565 S Eastern Ave Ste 150
 Las Vegas, NV 89074
 Phone: (702) 983-9664

Received: 4/1/2024 @ 18.4 °C
 Report ID: 2404024

Sample ID	Analyzed	Sample Description	Analysis	Result	Units	Method Code
2404024-003	4/4/2024	White Horn	Arsenic (As)	0.063	mg/kg (ppm)	ICPMS.1
	4/4/2024		Cadmium (Cd)	0.010	mg/kg (ppm)	ICPMS.1
	4/4/2024		Lead (Pb)	0.370	mg/kg (ppm)	ICPMS.1
	4/4/2024		Mercury (Hg)	0.014	mg/kg (ppm)	ICPMS.1
	4/3/2024		7-Hydroxymitragynine	< 0.010	%	MIT.2
	4/3/2024		Isorhynchophylline	< 0.100	%	MIT.2
	4/3/2024		Mitragynine	1.71	%	MIT.2
	4/3/2024		Mitraphylline	< 0.100	%	MIT.2
	4/3/2024		Paynantheine	0.394	%	MIT.2
	4/3/2024		Speciociliatine	0.341	%	MIT.2
	4/3/2024		Speciognine	0.257	%	MIT.2
	4/3/2024		Total Alkaloids	2.71	%	MIT.2
	4/3/2024		Salmonella spp.	Negative	/25 g	Salm.1
	4/3/2024		Shiga toxin-producing E. coli	Negative	/25 g	STEC.1
	4/3/2024		Aerobic Plate Count	1,300	CFU/g	ACR.1a
	4/3/2024		Total Coliform Bacteria	< 100	CFU/g	CCR.1a
	4/3/2024		Escherichia coli	< 100	CFU/g	ECR.1a
	4/3/2024	Staphylococcus aureus	< 100	CFU/g	STA.1a	
	4/3/2024	Yeast and Mold	< 100	CFU/g	YM.1a	



Certificate of Analysis for

Kraoma LLC
 8565 S Eastern Ave Ste 150
 Las Vegas, NV 89074
 Phone: (702) 983-9664

Received: 4/1/2024 @ 18.4 °C
 Report ID: 2404024

Sample ID	Analyzed	Sample Description	Analysis	Result	Units	Method Code
2404024-004	4/4/2024	Green Horn	Arsenic (As)	0.038	mg/kg (ppm)	ICPMS.1
	4/4/2024		Cadmium (Cd)	0.016	mg/kg (ppm)	ICPMS.1
	4/4/2024		Lead (Pb)	0.821	mg/kg (ppm)	ICPMS.1
	4/4/2024		Mercury (Hg)	0.015	mg/kg (ppm)	ICPMS.1
	4/3/2024		7-Hydroxymitragynine	< 0.010	%	MIT.2
	4/3/2024		Isorhynchophylline	< 0.100	%	MIT.2
	4/3/2024		Mitragynine	1.88	%	MIT.2
	4/3/2024		Mitraphylline	< 0.100	%	MIT.2
	4/3/2024		Paynantheine	0.453	%	MIT.2
	4/3/2024		Speciociliatine	0.314	%	MIT.2
	4/3/2024		Speciognine	0.295	%	MIT.2
	4/3/2024		Total Alkaloids	2.94	%	MIT.2
	4/3/2024		Salmonella spp.	Negative	/25 g	Salm.1
	4/3/2024		Shiga toxin-producing E. coli	Negative	/25 g	STEC.1
	4/3/2024		Aerobic Plate Count	13,000	CFU/g	ACR.1a
	4/3/2024		Total Coliform Bacteria	100	CFU/g	CCR.1a
	4/3/2024		Escherichia coli	< 100	CFU/g	ECR.1a
	4/3/2024	Staphylococcus aureus	< 100	CFU/g	STA.1a	
	4/3/2024	Yeast and Mold	200	CFU/g	YM.1a	



Certificate of Analysis for

Kraoma LLC
8565 S Eastern Ave Ste 150
Las Vegas, NV 89074
Phone: (702) 983-9664

Received: 4/1/2024 @ 18.4 °C
Report ID: 2404024

Sample ID	Analyzed	Sample Description	Analysis	Result	Units	Method Code
2404024-005	4/4/2024	Yellow Bali	Arsenic (As)	0.116	mg/kg (ppm)	ICPMS.1
	4/4/2024		Cadmium (Cd)	0.020	mg/kg (ppm)	ICPMS.1
	4/4/2024		Lead (Pb)	0.157	mg/kg (ppm)	ICPMS.1
	4/4/2024		Mercury (Hg)	0.024	mg/kg (ppm)	ICPMS.1
	4/3/2024		7-Hydroxymitragynine	< 0.010	%	MIT.2
	4/3/2024		Isorhynchophylline	< 0.100	%	MIT.2
	4/3/2024		Mitragynine	2.00	%	MIT.2
	4/3/2024		Mitraphylline	< 0.100	%	MIT.2
	4/3/2024		Paynantheine	0.471	%	MIT.2
	4/3/2024		Speciociliatine	0.302	%	MIT.2
	4/3/2024		Speciogynine	0.286	%	MIT.2
	4/3/2024		Total Alkaloids	3.05	%	MIT.2
	4/3/2024		Salmonella spp.	Negative	/25 g	Salm.1
	4/3/2024		Shiga toxin-producing E. coli	Negative	/25 g	STEC.1
	4/3/2024		Aerobic Plate Count	1,400	CFU/g	ACR.1a
	4/3/2024		Total Coliform Bacteria	< 100	CFU/g	CCR.1a
	4/3/2024		Escherichia coli	< 100	CFU/g	ECR.1a
	4/3/2024		Staphylococcus aureus	< 100	CFU/g	STA.1a
	4/3/2024		Yeast and Mold	< 100	CFU/g	YM.1a



Certificate of Analysis for

Kraoma LLC
8565 S Eastern Ave Ste 150
Las Vegas, NV 89074
Phone: (702) 983-9664

Received: 4/1/2024 @ 18.4 °C
Report ID: 2404024

Sample ID	Analyzed	Sample Description	Analysis	Result	Units	Method Code
2404024-006	4/4/2024	Green Malay	Arsenic (As)	0.035	mg/kg (ppm)	ICPMS.1
	4/4/2024		Cadmium (Cd)	0.013	mg/kg (ppm)	ICPMS.1
	4/4/2024		Lead (Pb)	0.418	mg/kg (ppm)	ICPMS.1
	4/4/2024		Mercury (Hg)	0.014	mg/kg (ppm)	ICPMS.1
	4/3/2024		7-Hydroxymitragynine	< 0.010	%	MIT.2
	4/3/2024		Isorhynchophylline	< 0.100	%	MIT.2
	4/3/2024		Mitragynine	1.85	%	MIT.2
	4/3/2024		Mitraphylline	< 0.100	%	MIT.2
	4/3/2024		Paynantheine	0.467	%	MIT.2
	4/3/2024		Speciociliatine	0.317	%	MIT.2
	4/3/2024		Speciogynine	0.283	%	MIT.2
	4/3/2024		Total Alkaloids	2.92	%	MIT.2
	4/3/2024		Salmonella spp.	Negative	/25 g	Salm.1
	4/3/2024		Shiga toxin-producing E. coli	Negative	/25 g	STEC.1
	4/3/2024		Aerobic Plate Count	6,100	CFU/g	ACR.1a
	4/3/2024		Total Coliform Bacteria	< 100	CFU/g	CCR.1a
	4/3/2024		Escherichia coli	< 100	CFU/g	ECR.1a
	4/3/2024		Staphylococcus aureus	< 100	CFU/g	STA.1a
	4/3/2024		Yeast and Mold	< 100	CFU/g	YM.1a



Certificate of Analysis for

Kraoma LLC
 8565 S Eastern Ave Ste 150
 Las Vegas, NV 89074
 Phone: (702) 983-9664

Received: 4/1/2024 @ 18.4 °C
 Report ID: 2404024

Sample ID	Analyzed	Sample Description	Analysis	Result	Units	Method Code
2404024-007	4/4/2024	Red Thai	Arsenic (As)	0.059	mg/kg (ppm)	ICPMS.1
	4/4/2024		Cadmium (Cd)	< 0.010	mg/kg (ppm)	ICPMS.1
	4/4/2024		Lead (Pb)	0.455	mg/kg (ppm)	ICPMS.1
	4/4/2024		Mercury (Hg)	0.014	mg/kg (ppm)	ICPMS.1
	4/3/2024		7-Hydroxymitragynine	< 0.010	%	MIT.2
	4/3/2024		Isorhynchophylline	< 0.100	%	MIT.2
	4/3/2024		Mitragynine	1.72	%	MIT.2
	4/3/2024		Mitraphylline	< 0.100	%	MIT.2
	4/3/2024		Paynantheine	0.414	%	MIT.2
	4/3/2024		Speciociliatine	0.341	%	MIT.2
	4/3/2024		Speciogynine	0.262	%	MIT.2
	4/3/2024		Total Alkaloids	2.74	%	MIT.2
	4/3/2024		Salmonella spp.	Negative	/25 g	Salm.1
	4/3/2024		Shiga toxin-producing E. coli	Negative	/25 g	STEC.1
	4/3/2024		Aerobic Plate Count	500	CFU/g	ACR.1a
	4/3/2024		Total Coliform Bacteria	< 100	CFU/g	CCR.1a
	4/3/2024		Escherichia coli	< 100	CFU/g	ECR.1a
	4/3/2024	Staphylococcus aureus	< 100	CFU/g	STA.1a	
	4/3/2024	Yeast and Mold	< 100	CFU/g	YM.1a	



Certificate of Analysis for

Kraoma LLC
 8565 S Eastern Ave Ste 150
 Las Vegas, NV 89074
 Phone: (702) 983-9664

Received: 4/1/2024 @ 18.4 °C
 Report ID: 2404024

Sample ID	Analyzed	Sample Description	Analysis	Result	Units	Method Code
2404024-008	4/4/2024	Green Bali	Arsenic (As)	0.043	mg/kg (ppm)	ICPMS.1
	4/4/2024		Cadmium (Cd)	0.015	mg/kg (ppm)	ICPMS.1
	4/4/2024		Lead (Pb)	0.382	mg/kg (ppm)	ICPMS.1
	4/4/2024		Mercury (Hg)	0.012	mg/kg (ppm)	ICPMS.1
	4/3/2024		7-Hydroxymitragynine	< 0.010	%	MIT.2
	4/3/2024		Isorhynchophylline	< 0.100	%	MIT.2
	4/3/2024		Mitragynine	1.79	%	MIT.2
	4/3/2024		Mitraphylline	< 0.100	%	MIT.2
	4/3/2024		Paynantheine	0.457	%	MIT.2
	4/3/2024		Speciociliatine	0.322	%	MIT.2
	4/3/2024		Speciogynine	0.277	%	MIT.2
	4/3/2024		Total Alkaloids	2.84	%	MIT.2
	4/3/2024		Salmonella spp.	Negative	/25 g	Salm.1
	4/3/2024		Shiga toxin-producing E. coli	Negative	/25 g	STEC.1
	4/3/2024		Aerobic Plate Count	5,200	CFU/g	ACR.1a
	4/3/2024		Total Coliform Bacteria	< 100	CFU/g	CCR.1a
	4/3/2024		Escherichia coli	< 100	CFU/g	ECR.1a
	4/3/2024	Staphylococcus aureus	< 100	CFU/g	STA.1a	
	4/3/2024	Yeast and Mold	100	CFU/g	YM.1a	



Certificate of Analysis for

Kraoma LLC
 8565 S Eastern Ave Ste 150
 Las Vegas, NV 89074
 Phone: (702) 983-9664

Received: 4/1/2024 @ 18.4 °C
 Report ID: 2404024

Sample ID	Analyzed	Sample Description	Analysis	Result	Units	Method Code
2404024-009	4/4/2024	Green Kali	Arsenic (As)	0.052	mg/kg (ppm)	ICPMS.1
	4/4/2024		Cadmium (Cd)	0.020	mg/kg (ppm)	ICPMS.1
	4/4/2024		Lead (Pb)	0.490	mg/kg (ppm)	ICPMS.1
	4/4/2024		Mercury (Hg)	0.010	mg/kg (ppm)	ICPMS.1
	4/3/2024		7-Hydroxymitragynine	< 0.010	%	MIT.2
	4/3/2024		Isorhynchophylline	< 0.100	%	MIT.2
	4/3/2024		Mitragynine	1.78	%	MIT.2
	4/3/2024		Mitraphylline	< 0.100	%	MIT.2
	4/3/2024		Paynantheine	0.438	%	MIT.2
	4/3/2024		Speciociliatine	0.330	%	MIT.2
	4/3/2024		Speciogynine	0.281	%	MIT.2
	4/3/2024		Total Alkaloids	2.83	%	MIT.2
	4/3/2024		Salmonella spp.	Negative	/25 g	Salm.1
	4/3/2024		Shiga toxin-producing E. coli	Negative	/25 g	STEC.1
	4/3/2024		Aerobic Plate Count	2,000	CFU/g	ACR.1a
	4/3/2024		Total Coliform Bacteria	< 100	CFU/g	CCR.1a
	4/3/2024		Escherichia coli	< 100	CFU/g	ECR.1a
	4/3/2024	Staphylococcus aureus	< 100	CFU/g	STA.1a	
	4/3/2024	Yeast and Mold	< 100	CFU/g	YM.1a	



Certificate of Analysis for

Kraoma LLC
 8565 S Eastern Ave Ste 150
 Las Vegas, NV 89074
 Phone: (702) 983-9664

Received: 4/1/2024 @ 18.4 °C
 Report ID: 2404024

Sample ID	Analyzed	Sample Description	Analysis	Result	Units	Method Code
2404024-010	4/4/2024	White Kali	Arsenic (As)	0.061	mg/kg (ppm)	ICPMS.1
	4/4/2024		Cadmium (Cd)	0.011	mg/kg (ppm)	ICPMS.1
	4/4/2024		Lead (Pb)	0.431	mg/kg (ppm)	ICPMS.1
	4/4/2024		Mercury (Hg)	0.014	mg/kg (ppm)	ICPMS.1
	4/3/2024		7-Hydroxymitragynine	< 0.010	%	MIT.2
	4/3/2024		Isorhynchophylline	< 0.100	%	MIT.2
	4/3/2024		Mitragynine	1.71	%	MIT.2
	4/3/2024		Mitraphylline	< 0.100	%	MIT.2
	4/3/2024		Paynantheine	0.411	%	MIT.2
	4/3/2024		Speciociliatine	0.333	%	MIT.2
	4/3/2024		Speciogynine	0.259	%	MIT.2
	4/3/2024		Total Alkaloids	2.71	%	MIT.2
	4/3/2024		Salmonella spp.	Negative	/25 g	Salm.1
	4/3/2024		Shiga toxin-producing E. coli	Negative	/25 g	STEC.1
	4/3/2024		Aerobic Plate Count	1,200	CFU/g	ACR.1a
	4/3/2024		Total Coliform Bacteria	< 100	CFU/g	CCR.1a
	4/3/2024		Escherichia coli	< 100	CFU/g	ECR.1a
	4/3/2024	Staphylococcus aureus	< 100	CFU/g	STA.1a	
	4/3/2024	Yeast and Mold	< 100	CFU/g	YM.1a	



Certificate of Analysis for

Kraoma LLC
 8565 S Eastern Ave Ste 150
 Las Vegas, NV 89074
 Phone: (702) 983-9664

Received: 4/1/2024 @ 18.4 °C
 Report ID: 2404024

Sample ID	Analyzed	Sample Description	Analysis	Result	Units	Method Code
2404024-011	4/4/2024	Red Horn	Arsenic (As)	0.054	mg/kg (ppm)	ICPMS.1
	4/4/2024		Cadmium (Cd)	0.011	mg/kg (ppm)	ICPMS.1
	4/4/2024		Lead (Pb)	0.404	mg/kg (ppm)	ICPMS.1
	4/4/2024		Mercury (Hg)	0.012	mg/kg (ppm)	ICPMS.1
	4/3/2024		7-Hydroxymitragynine	< 0.010	%	MIT.2
	4/3/2024		Isorhynchophylline	< 0.100	%	MIT.2
	4/3/2024		Mitragynine	1.73	%	MIT.2
	4/3/2024		Mitraphylline	< 0.100	%	MIT.2
	4/3/2024		Paynantheine	0.415	%	MIT.2
	4/3/2024		Speciociliatine	0.330	%	MIT.2
	4/3/2024		Speciogynine	0.264	%	MIT.2
	4/3/2024		Total Alkaloids	2.74	%	MIT.2
	4/3/2024		Salmonella spp.	Negative	/25 g	Salm.1
	4/3/2024		Shiga toxin-producing E. coli	Negative	/25 g	STEC.1
	4/3/2024		Aerobic Plate Count	3,500	CFU/g	ACR.1a
	4/3/2024		Total Coliform Bacteria	< 100	CFU/g	CCR.1a
	4/3/2024		Escherichia coli	< 100	CFU/g	ECR.1a
	4/3/2024	Staphylococcus aureus	< 100	CFU/g	STA.1a	
	4/3/2024	Yeast and Mold	100	CFU/g	YM.1a	



Certificate of Analysis for

Kraoma LLC
 8565 S Eastern Ave Ste 150
 Las Vegas, NV 89074
 Phone: (702) 983-9664

Received: 4/1/2024 @ 18.4 °C
 Report ID: 2404024

Sample ID	Analyzed	Sample Description	Analysis	Result	Units	Method Code
2404024-012	4/4/2024	Red Kali	Arsenic (As)	0.069	mg/kg (ppm)	ICPMS.1
	4/4/2024		Cadmium (Cd)	0.018	mg/kg (ppm)	ICPMS.1
	4/4/2024		Lead (Pb)	0.561	mg/kg (ppm)	ICPMS.1
	4/4/2024		Mercury (Hg)	0.012	mg/kg (ppm)	ICPMS.1
	4/3/2024		7-Hydroxymitragynine	< 0.010	%	MIT.2
	4/3/2024		Isorhynchophylline	< 0.100	%	MIT.2
	4/3/2024		Mitragynine	1.75	%	MIT.2
	4/3/2024		Mitraphylline	< 0.100	%	MIT.2
	4/3/2024		Paynantheine	0.401	%	MIT.2
	4/3/2024		Speciociliatine	0.333	%	MIT.2
	4/3/2024		Speciogynine	0.266	%	MIT.2
	4/3/2024		Total Alkaloids	2.75	%	MIT.2
	4/3/2024		Salmonella spp.	Negative	/25 g	Salm.1
	4/3/2024		Shiga toxin-producing E. coli	Negative	/25 g	STEC.1
	4/3/2024		Aerobic Plate Count	1,300	CFU/g	ACR.1a
	4/3/2024		Total Coliform Bacteria	< 100	CFU/g	CCR.1a
	4/3/2024		Escherichia coli	< 100	CFU/g	ECR.1a
	4/3/2024		Staphylococcus aureus	< 100	CFU/g	STA.1a
	4/3/2024	Yeast and Mold	< 100	CFU/g	YM.1a	



Certificate of Analysis for

Kraoma LLC
 8565 S Eastern Ave Ste 150
 Las Vegas, NV 89074
 Phone: (702) 983-9664

Received: 4/1/2024 @ 18.4 °C
 Report ID: 2404024

Sample ID	Analyzed	Sample Description	Analysis	Result	Units	Method Code
2404024-013	4/4/2024	White Bali	Arsenic (As)	0.055	mg/kg (ppm)	ICPMS.1
	4/4/2024		Cadmium (Cd)	0.010	mg/kg (ppm)	ICPMS.1
	4/4/2024		Lead (Pb)	0.472	mg/kg (ppm)	ICPMS.1
	4/4/2024		Mercury (Hg)	0.017	mg/kg (ppm)	ICPMS.1
	4/3/2024		7-Hydroxymitragynine	< 0.010	%	MIT.2
	4/3/2024		Isorhynchophylline	< 0.100	%	MIT.2
	4/3/2024		Mitragynine	1.72	%	MIT.2
	4/3/2024		Mitraphylline	< 0.100	%	MIT.2
	4/3/2024		Paynantheine	0.412	%	MIT.2
	4/3/2024		Speciociliatine	0.319	%	MIT.2
	4/3/2024		Speciogynine	0.263	%	MIT.2
	4/3/2024		Total Alkaloids	2.72	%	MIT.2
	4/3/2024		Salmonella spp.	Negative	/25 g	Salm.1
	4/3/2024		Shiga toxin-producing E. coli	Negative	/25 g	STEC.1
	4/3/2024		Aerobic Plate Count	500	CFU/g	ACR.1a
	4/3/2024		Total Coliform Bacteria	< 100	CFU/g	CCR.1a
	4/3/2024		Escherichia coli	< 100	CFU/g	ECR.1a
	4/3/2024	Staphylococcus aureus	< 100	CFU/g	STA.1a	
	4/3/2024	Yeast and Mold	< 100	CFU/g	YM.1a	



Certificate of Analysis for

Kraoma LLC
 8565 S Eastern Ave Ste 150
 Las Vegas, NV 89074
 Phone: (702) 983-9664

Received: 4/1/2024 @ 18.4 °C
 Report ID: 2404024

Sample ID	Analyzed	Sample Description	Analysis	Result	Units	Method Code
-----------	----------	--------------------	----------	--------	-------	-------------

Reported By: *Riley M. Horner* Riley Horner, Microbiology Laboratory Manager, 4/6/2024

Methodology:

ACR.1a : AC by mass via AOAC 2015.13 (Petrifilm™) Prep: Quantitative Initial Dilution

ECR.1a : EC by mass via AOAC OM 2018.13 (Petrifilm™) Prep: Quantitative Initial Dilution

MIT.2 : Kratom Alkaloids via HPLC-DAD

STA.1a : S. aureus by mass via AOAC 2003.07, 2003.08, 2003.11 (Petrifilm™) Prep: Quantitative Initial Dilution

YM.1a : YM by mass via AOAC RI 121301 (Petrifilm™) Prep: Quantitative Initial Dilution

CCR.1a : CC by mass via AOAC OM 2018.13 (Petrifilm™) Prep: Quantitative Initial Dilution

ICPMS.1 : Metals via FDA - EAM:2008 (ICP/MS) Prep: Digestion, Microwave

Salm.1 : Salmonella via AOAC 081201, 2013.02 (BAX® PCR)

STEC.1 : E. coli (O157:H7, O26, O45, O103, O111, O121, O145) via AOAC 091301 (BAX® PCR, STEC Screen)